

## Mount Garmin GPS in C7 Cubby



A Forum Member sent a PM after I mentioned in a Post an item I found to mount a Garmin GPS on the passenger grab bar. He said he had seen one mounted inside the cubby and had purchased a short USB to Garmin cord to power the unit from inside the Cubby. He offered to send it to me “free” since he had changed cars. Great suggestion. Details of the cable are presented below. Thought I could use a suction mount to hold it in the cubby.

However the floor is covered in fine felt and the suction cup mount would not work. Thought about removing the felt covering but it was no doubt glued down and was the surface smooth. Decided to cut an 1/8 inch thick piece of aluminum and place it on the floor. But how to keep it secure from bouncing on bumps remained a question. The base is probably plastic so sheet metal screws would not be a good choice. Also what electrical wires etc. might be under the thin floor?

Decided to make an assembly that left the OEM surfaces. Would attach sides to the floor that went to the top and pressed against the roof. That would handle bumps and 1+ “g” stops and side loads.

But the front opening is smaller than the inside so how would it be placed inside?

The following is a picture/text PDF of what was done.

To get the floor/sides assembly into the cubby smaller front opening used a technique modelers use to get a ship in a bottle! In this case fold the sides down and insert the assembly at an angle. Made patterns from paper and used two small hinges to attach the wood sides.

Planned on using 1/4 inch brass thread nuts and 1/4 inch screws to wedge the sides into the roof.



However to maintain good access to the USB port, the left side was designed to wedge a piece of 1/8 inch aluminum upward into the roof. It was slotted so it could be made exactly the right height than secured with a bolt and nut.

The right side used the original idea of employing a brass thread insert in wood.

This is a pic of the finished assembly painted black. The center section was left unpainted to get the best suction cup attachment.

Note a 1/4 inch brass thread insert is shown in the center with the 1/4 inch bolt that is turned to press into the roof. The yellow arrow points to the tread insert in a wood block.



This is a picture of the assembly being placed into the cubby. The sides have not been raised to press on the roof.

This approach left room to have easy access to the USB port.

This pic shows the left side extended with the thin aluminum top section pressed into the roof.

Then the 1/4 inch screw on the left side is turned until it presses into the roof and holds the assembly tightly in the cubby.

There are two nuts and a washer on the long 1/4 inch bolt. The top nut with washer are turned against the brass thread insert and tightened with a wrench. The second nut is tightened against the first as a jam nut.



This is the Garmin when the car was started. It searched for satellites.


Once the satellites were found it was "Ready to Navigate" as the display shows. I set it for Maps, which will be the typical setting used. When setting a destination is needed, easy to use the touch screen to press in the address. Can also use voice commands.



My Garmin has a 5 inch diagonal measurement and fits fine.

The power cord that plugs into the USB that was sent to be by a Forum Member is Redband USB Cable for Garmin Novi Power-9 inches Long. Part number 202-0063-09

See USB cable details below.9



### Alternate Idea for Base

After making the base shown above and having to alter the left side for better access to the USB port using a sliding section thought this idea might work well. It would be easier to build and would look cleaner!

*If you try please send a pic!*

## How It Works:

The unit works great. When the car starts the USB is powered and the Garmin turns on. Have it set for maps. Initial test was a short run where it did display my speed. Need to get to some bigger streets to see in the "Speed Limit" is displayed.

When the car is shut off, when the map lights turn off so does the USB power. The Garmin warns that it will shut off in 15 seconds if you don't override (then it will operate on battery.)

Of interest thought I would have to raise the screen when I backed out of the driveway to see the rear camera. No need when I put it in reverse the screen comes up atomically, when I move forward it stays up and the front camera takes over. Once moving the Menu scree comes up and to see the GPS have to lower the screen.

On the first trip to town found it took about 5 minutes for the Garmin to acquire satellites. Had to press the "*Do you want to continue with searching,*" once.

Once they were found it stayed in contact even after several stops where they were acquired instantly when starting. When I pull out of the garage where the signal was lost when I pulled in it takes 1 to 2 minutes to find them.

Have it mostly set for MAPS and It's nice to be able to glance at the speed limit, something I did look at in my 2014 C7 3LT with NAV.

## USB Cable Details:

Found this info on the net re the USB cable:

*"GPS devices such as Garmin come equipped with a USB cable. It's primarily intended for connecting the GPS to a computer, enabling users to install or back up new maps, points of interest, and tracks or routes. The supplied USB cable won't power the GPS directly, but there are alternative methods.*

Various companies manufacture aftermarket chargers and cables wired to power Garmin GPS devices."

The power cord I use that plugs into the USB in the cubby was sent to me by a Forum Member: Redband USB Cable for Garmin Novi Power 9 inches Long. Part number 202-0063-09

Other 2017 Grand Sport & 2014 Stingray PDF's Available:



*Some 40 items discuss improvements or information about a 2017 Grand Sport and 2014 Stingray function and/or esthetics. Some are minor and others, like the installing ceramic brake pads, include detailed install information.*

*Below are the PDF's available. Click on picture (may need Ctrl pressed.) Or just copy and paste the PDF info (Blue type) into your browser. Or email me at [GUtrachi@aol.com](mailto:GUtrachi@aol.com) and state the title desired, shown in Yellow:*

**Note:** GS indicates that info may only be in the process of being added to C7 PDFs.

### **Rusty GS/C7 Muffler**

*Why the C7 muffler is rusted and a simply way to make rust turn matte black.  
Bottom pic rusted, top pic treated*

[http://netwelding.com/Muffler\\_Rust.pdf](http://netwelding.com/Muffler_Rust.pdf)



### **Change GS/C7 Oil**

*WHY change your own oil and HOW to do it  
Revised, includes C7 Lifting Methods*

[http://netwelding.com/Changing\\_Oil.pdf](http://netwelding.com/Changing_Oil.pdf)



### **C7 Carbon Fiber Side Skirts**

*How to install side skirts with jacking information for  
DIY's without lifts*

[http://netwelding.com/Side\\_Skirts.pdf](http://netwelding.com/Side_Skirts.pdf)



### **C7 Carbon Fiber Splitter w/End Plates**

*How to install Splitter & Nylon bra fit*

[http://netwelding.com/CF\\_Splitter.pdf](http://netwelding.com/CF_Splitter.pdf)



### **C7 Removing GM Plastic Film**

*How To Remove The Rocker Panel Film*

[http://netwelding.com/Rocker\\_Panel\\_Film.pdf](http://netwelding.com/Rocker_Panel_Film.pdf)



### **GS/C7 Mirror Proximity Alarm**

*Limit switch alarm warns when passenger mirror is too close to door frame*

[http://netwelding.com/Mirror\\_Proximity\\_Alarm.pdf](http://netwelding.com/Mirror_Proximity_Alarm.pdf)



### **Jacking Pads for GS/C7**

*Jacking Pads must 2 1/2 inch max OD. Made four. Also Hockey Puck pad and 2 1/2 inch OD x 2 inch high pads bought after installing side skirts.*

[http://netwelding.com/Jacking\\_pads.pdf](http://netwelding.com/Jacking_pads.pdf)



### **GS/C7 Radar Power**

*The C7 cannot tap the mirror or sun visor for power !*

[http://netwelding.com/Radar\\_Detector\\_Power.pdf](http://netwelding.com/Radar_Detector_Power.pdf)



### **GS/C7 Belt Rattle**

*Passenger seat belt rattles against the seat back. The solution, add a shoulder belt pad.*

[http://netwelding.com/Eliminate\\_Rattle.pdf](http://netwelding.com/Eliminate_Rattle.pdf)



### **Aluminum C7 Chassis and Weld Repair**

*The C7 has an all aluminum chassis, made from 117 welded pieces*

[http://netwelding.com/Aluminum\\_Chassis.pdf](http://netwelding.com/Aluminum_Chassis.pdf)



### **GS/C7 Ceramic Brake Pads**

*The Z51 has very dusty brakes. These pads help!*

[http://netwelding.com/Ceramic\\_Pads.pdf](http://netwelding.com/Ceramic_Pads.pdf)



### **GS/C7 License Plate Frame;**

*Must Meet South Carolina Law*

[http://netwelding.com/License Plate\\_Frame.pdf](http://netwelding.com/License_Plate_Frame.pdf)



### **Manage GS/C7 Spilled Gas**

*Protect the side of the C7 when filling up with gas*

[http://netwelding.com/Manage\\_Spilled\\_Gas.pdf](http://netwelding.com/Manage_Spilled_Gas.pdf)



### **GS/C7 License Plate & Cargo Lights**

*LED license plate light & cargo area bulbs are brighter and whiter*

[http://netwelding.com/License Plate\\_Light.pdf](http://netwelding.com/License_Plate_Light.pdf)



### **GS/C7 Rear Cargo Area**

*Rear cargo area needs storage device and rear protector*

[http://netwelding.com/Rear\\_Cargo\\_Area.pdf](http://netwelding.com/Rear_Cargo_Area.pdf)



### **C7 Door Panel Protector**

*protector plate added to prevent scuffing of door when exiting*

[http://netwelding.com/Door\\_Panel\\_Protector.pdf](http://netwelding.com/Door_Panel_Protector.pdf)



### **GS/C7 Improved Cup Holder**

*A solution to the cup holder spilling under hard braking or sharp turns.*

[http://netwelding.com/Improved\\_cup\\_Holder.pdf](http://netwelding.com/Improved_cup_Holder.pdf)



### **GS/C7 Wheel Chatter/Hop**

*Why sharp, low speed turns with cold tires causes the front tires to chatter/hop.*

[http://netwelding.com/Wheel\\_Chatter.pdf](http://netwelding.com/Wheel_Chatter.pdf)



### **C7 Carbon Fiber Grille Bar**

*Install genuine carbon fiber grille bar overlay*

[http://netwelding.com/CF\\_Grille\\_Bar.pdf](http://netwelding.com/CF_Grille_Bar.pdf)



### **Jacking a GS/C7 Vette**

*Safely jacking either front only or back and front*

[http://netwelding.com/Jacking\\_A\\_C7.pdf](http://netwelding.com/Jacking_A_C7.pdf)



### **Deer Whistle Installed on GS/C7**

*Do they work? Plus Install Info*

[http://netwelding.com/Deer\\_Whistle.pdf](http://netwelding.com/Deer_Whistle.pdf)



### **Replacing C7 Battery**

*After using a GM type charger and showing fully charged, voltage low, replaced battery with AGM!*

[http://netwelding.com/Battery\\_Issues.pdf](http://netwelding.com/Battery_Issues.pdf)



### **GS/C7 Window Valet**

*Lower Windows with FOB*

*Window Valet Helps 2014/2015 Latch Hatch*

[http://netwelding.com/Hatch\\_Latch.pdf](http://netwelding.com/Hatch_Latch.pdf)



### **GS/C7 Splash Guards**

*GM offers splash guards for the C7 Corvette. An easy DIY installation.*

[http://netwelding.com/Splash\\_Guard.pdf](http://netwelding.com/Splash_Guard.pdf)



### **GS/C7 Blind Spot Mirror**

*Smaller rear and side windows cause C7 blind spots. Small "blind spot mirrors" help*

[http://netwelding.com/Blind\\_Spot.pdf](http://netwelding.com/Blind_Spot.pdf)



### **GS/C7 Skid Pad Protector**

*After the air dam, the aluminum "skid pad" hits driveway ramps etc. Plastic protector helps.*

[http://netwelding.com/Skid\\_Pad\\_Protector.pdf](http://netwelding.com/Skid_Pad_Protector.pdf)



### **GS/C7 Wheel Locks**

*Wheel locks, torqued to required 100 ft-lbs, help protect your expensive wheels from theft.*

[http://netwelding.com/Wheel\\_Locks.pdf](http://netwelding.com/Wheel_Locks.pdf)



### **GS/C7 OnStar Lights**

*The OnStar LED's in the rear view mirror, at a quick glance, look like a police car flashing light! This is a fix.*

[http://netwelding.com/OnStar\\_Lights.pdf](http://netwelding.com/OnStar_Lights.pdf)



### **GS/C7 Skip Shift Eliminator**

*Skip Shift Eliminator install with suggestions on jacking a C7.*

[http://netwelding.com/Skip\\_shift\\_Eliminator.pdf](http://netwelding.com/Skip_shift_Eliminator.pdf)



### **C7 Catch Can & Clean Oil Separator**

*Direct inject engines like the LT1, are particularly subject to "coking." What is Coking and how to reduce the potential?*

[http://netwelding.com/Catch\\_Can.pdf](http://netwelding.com/Catch_Can.pdf)



### **GS/C7 Round Shift Knob**

*A round shift knob shortens throw.*

[http://netwelding.com/Shift\\_Knob.pdf](http://netwelding.com/Shift_Knob.pdf)



### **GS/C7 Stingray Sill Plate**

*Stingray sill plate replaces original.*

[http://netwelding.com/Sill\\_Plate.pdf](http://netwelding.com/Sill_Plate.pdf)





### **GS/C7 Nylon Bra**

*Nylon Bra Stops Bugs on Front and Grill.*  
[http://netwelding.com/Nylon\\_Bra.pdf](http://netwelding.com/Nylon_Bra.pdf)



### **GS/C7 Clutch Fluid Change**

*Clutch fluid after 3000 miles gets dirty*  
[http://netwelding.com/Clutch\\_Fluid.pdf](http://netwelding.com/Clutch_Fluid.pdf)



### **C7 Carbon Fiber Hood Vent**

*Replaces Plastic Hood Vent*  
[http://netwelding.com/Hood\\_Vent.pdf](http://netwelding.com/Hood_Vent.pdf)



### **GS/C7 Cold Air Intake**

*Low Restriction Air Filter & Duct*  
[http://netwelding.com/Cold\\_Air\\_Intake.pdf](http://netwelding.com/Cold_Air_Intake.pdf)



### **Garmin GPS for GS Cubby**

*Garmin Mounts in GS Cubby*  
[http://netwelding.com/GPS\\_In\\_Cubby.pdf](http://netwelding.com/GPS_In_Cubby.pdf)



### **GS Splitter Stage 3 Winglet**

*Stage 3 Winglets Intergrate with Spats*  
[http://netwelding.com/Stage\\_3\\_Winglets.pdf](http://netwelding.com/Stage_3_Winglets.pdf)



### **GS 2LT to 2.5 LT**

*Red Upper Dash Pad Like 3LT*  
[http://netwelding.com/Red\\_Dash\\_Pad.pdf](http://netwelding.com/Red_Dash_Pad.pdf)



### **Jake Emblem/Decals for GS**

*Jake Symbols Support GS Racing Image*  
[http://netwelding.com/Jake\\_Emblems.pdf](http://netwelding.com/Jake_Emblems.pdf)



### **GS Splitter Protectors**

*Cone Washers Protect Splitter Bottom*  
[http://netwelding.com/Splitter\\_Protectors.pdf](http://netwelding.com/Splitter_Protectors.pdf)



### **May Be Of Interest: Engineering a ProStreet Rod**

*How Our '34 ProStreet Rod Was Designed and Built  
8.2 Liter Engine, 4 Wheel Disk Brakes & Coilover*  
<http://netwelding.com/Engineering%20Street%20Rod%203-08.pdf>

