

GM Offers Alternate Sill Plate for C7and GS!



There is an alternate GM sill plate to the word “Corvette” that comes with the standard. It is offered as a dealer installed option. It has the word “Stingray”. It also has a matt gray outer border compared to the brushed stainless border on the standard sill plate. These are available from any Chevy dealer, GM part number: 23146465. They are called Dealer Installed options but are easy enough to install that you’ll save significant money by purchasing from a low priced source and installing yourself.

The GM Retail price for the part is \$225 and the dealer install price could exceed \$50 if purchased separate from the car.

I was able to purchase the GM product on eBay for \$169, including shipping. The product is well packaged and arrived in perfect shape.

Install:

Unlike some other products that are easy to install, like Splash Guards, these are not only easy, there are no little tricks! The single sheet of included instructions is presented in the install pics. It is interesting that there are no words! I’ll comment on the tool recommended and the fact that it is not really needed. I also put some masking tape on prior to removing using the removal tool.

Other Information:

A set of Lloyds Stingray Floor Mats were added to match the Stingray sill plates! The mats have continuous filament two-ply nylon yarn in a 32 ounce per yard 5/16” pile height providing impressive long wear and true comfort. Twice the weight and density of original equipment mats.



Photo Sequence




Although the GM Stingray sill plates are available at a discount from several sources the \$169 freight paid was the lowest I found. It arrived well packaged and with GM instructions included.

The label states made in the USA, unlike the GM Splash Guards which were labeled made in China.



The boarder on the standard Corvette sills is a brushed stainless steel. The darker grayed border on the Stingray sills complement the carbon flash side skirts.






INSTRUCTIONS THAT CAME WITH THE GM STINGRAY SILL PLATES


The one page of instructions is interesting since it contains no words, just 3 step picture instructions. There are listed separately below.

The first step shows what tools to use. Plastic trim tools are pictured on the right (with the green border.) It indicates they should be used to remove the original sill plate.

On the left is a screw driver with a “Don’t Use” symbol (in red.) A screw driver may actually be useful if properly taped!




The second step indicates a solvent should be used after the original sill plate is removed. For some early model sill plates an adhesive was used for attachment so a solvent was needed but not sure why it is shown here. Thought perhaps some adhesive was used, but there was none.



The third step shows a hand with 20 to 30 psi shown in the box. This defines the force to be used when pressing in the clips!

Assume the eye symbol on the bottom means to line-up the clips before pressing in the new sill plate.



The gap was very tight and it was leveraged against the painted surface, so masking tape was placed over the end and top edge. Started at the end near one of the 7 clips with a plastic trim tool. Once up far enough, I placed my fingers under the edge and slowly pulled the other clips out of their slots.



The 7 clips were easily located in the slots. Once in they were in place, the Stingray sill plate was “punched-in” with the side of my closed fist. The clips all snapped in easily. This picture shows it installed.

This is a pic of the drivers side.



Other 2017 Grand Sport & 2014 Stingray PDF's Available:



Some 40 items discuss improvements or information about a 2017 Grand Sport and 2014 Stingray function and/or esthetics. Some are minor and others, like the installing ceramic brake pads, include detailed install information.

Below are the PDF's available. Click on picture (may need Ctrl pressed.) Or just copy and paste the PDF info (Blue type) into your browser. Or email me at GUtrachi@aol.com and state the title desired, shown in Yellow:

Note: GS indicates that info may only be in the process of being added to C7 PDFs.

Rusty GS/C7 Muffler

*Why the C7 muffler is rusted and a simply way to make rust turn matte black.
Bottom pic rusted, top pic treated*

http://netwelding.com/Muffler_Rust.pdf



Change GS/C7 Oil

*WHY change your own oil and HOW to do it
Revised, includes C7 Lifting Methods*

http://netwelding.com/Changing_Oil.pdf



C7 Carbon Fiber Side Skirts

*How to install side skirts with jacking information for
DIY's without lifts*

http://netwelding.com/Side_Skirts.pdf



C7 Carbon Fiber Splitter w/End Plates

How to install Splitter & Nylon bra fit

http://netwelding.com/CF_Splitter.pdf



C7 Removing GM Plastic Film

How To Remove The Rocker Panel Film

http://netwelding.com/Rocker_Panel_Film.pdf



GS/C7 Mirror Proximity Alarm

Limit switch alarm warns when passenger mirror is too close to door frame

http://netwelding.com/Mirror_Proximity_Alarm.pdf



Jacking Pads for GS/C7

Jacking Pads must 2 1/2 inch max OD. Made four. Also Hockey Puck pad and 2 1/2 inch OD x 2 inch high pads bought after installing side skirts.

http://netwelding.com/Jacking_pads.pdf



GS/C7 Radar Power

The C7 cannot tap the mirror or sun visor for power !

http://netwelding.com/Radar_Detector_Power.pdf



GS/C7 Belt Rattle

Passenger seat belt rattles against the seat back. The solution, add a shoulder belt pad.

http://netwelding.com/Eliminate_Rattle.pdf



Aluminum C7 Chassis and Weld Repair

The C7 has an all aluminum chassis, made from 117 welded pieces

http://netwelding.com/Aluminum_Chassis.pdf



GS/C7 Ceramic Brake Pads

The Z51 has very dusty brakes. These pads help!

http://netwelding.com/Ceramic_Pads.pdf



GS/C7 License Plate Frame;

Must Meet South Carolina Law

[http://netwelding.com/License Plate_Frame.pdf](http://netwelding.com/License_Plate_Frame.pdf)



Manage GS/C7 Spilled Gas

Protect the side of the C7 when filling up with gas

http://netwelding.com/Manage_Spilled_Gas.pdf



GS/C7 License Plate & Cargo Lights

LED license plate light & cargo area bulbs are brighter and whiter

[http://netwelding.com/License Plate_Light.pdf](http://netwelding.com/License_Plate_Light.pdf)



GS/C7 Rear Cargo Area

Rear cargo area needs storage device and rear protector

http://netwelding.com/Rear_Cargo_Area.pdf



C7 Door Panel Protector

protector plate added to prevent scuffing of door when exiting

http://netwelding.com/Door_Panel_Protector.pdf



GS/C7 Improved Cup Holder

A solution to the cup holder spilling under hard braking or shape turns.

http://netwelding.com/Improved_cup_Holder.pdf



GS/C7 Wheel Chatter/Hop

Why sharp, low speed turns with cold tires causes the front tires to chatter/hop.

http://netwelding.com/Wheel_Chatter.pdf



C7 Carbon Fiber Grille Bar

Install genuine carbon fiber grille bar overlay

http://netwelding.com/CF_Grille_Bar.pdf



Jacking a GS/C7 Vette

Safely jacking either front only or back and front

http://netwelding.com/Jacking_A_C7.pdf



Deer Whistle Installed on GS/C7

Do they work? Plus Install Info

http://netwelding.com/Deer_Whistle.pdf



Replacing C7 Battery

After using a GM type charger and showing fully charged, voltage low, replaced battery with AGM!

http://netwelding.com/Battery_Issues.pdf



GS/C7 Window Valet

Lower Windows with FOB

Window Valet Helps 2014/2015 Latch Hatch

http://netwelding.com/Hatch_Latch.pdf



GS/C7 Splash Guards

GM offers splash guards for the C7 Corvette. An easy DIY installation.

http://netwelding.com/Splash_Guard.pdf



GS/C7 Blind Spot Mirror

Smaller rear and side windows cause C7 blind spots. Small "blind spot mirrors" help

http://netwelding.com/Blind_Spot.pdf



GS/C7 Skid Pad Protector

After the air dam, the aluminum "skid pad" hits driveway ramps etc. Plastic protector helps.

http://netwelding.com/Skid_Pad_Protector.pdf



GS/C7 Wheel Locks

Wheel locks, torqued to required 100 ft-lbs, help protect your expensive wheels from theft.

http://netwelding.com/Wheel_Locks.pdf



GS/C7 OnStar Lights

The OnStar LED's in the rear view mirror, at a quick glance, look like a police car flashing light! This is a fix.

http://netwelding.com/OnStar_Lights.pdf



GS/C7 Skip Shift Eliminator

Skip Shift Eliminator install with suggestions on jacking a C7.

http://netwelding.com/Skip_shift_Eliminator.pdf



C7 Catch Can & Clean Oil Separator

Direct inject engines like the LT1, are particularly subject to "coking." What is Coking and how to reduce the potential?

http://netwelding.com/Catch_Can.pdf



GS/C7 Round Shift Knob

A round shift knob shortens throw.

http://netwelding.com/Shift_Knob.pdf



GS/C7 Stingray Sill Plate

Stingray sill plate replaces original.

http://netwelding.com/Sill_Plate.pdf



GS/C7 Nylon Bra

Nylon Bra Stops Bugs on Front and Grill.
http://netwelding.com/Nylon_Bra.pdf



GS/C7 Clutch Fluid Change

Clutch fluid after 3000 miles gets dirty
http://netwelding.com/Clutch_Fluid.pdf



C7 Carbon Fiber Hood Vent

Replaces Plastic Hood Vent
http://netwelding.com/Hood_Vent.pdf



GS/C7 Cold Air Intake

Low Restriction Air Filter & Duct
http://netwelding.com/Cold_Air_Intake.pdf



Garmin GPS for GS Cubby

Garmin Mounts in GS Cubby
http://netwelding.com/GPS_In_Cubby.pdf



GS Splitter Stage 3 Winglet

Stage 3 Winglets Intergrate with Spats
http://netwelding.com/Stage_3_Winglets.pdf



GS 2LT to 2.5 LT

Red Upper Dash Pad Like 3LT
http://netwelding.com/Red_Dash_Pad.pdf



Jake Emblem/Decals for GS

Jake Symbols Support GS Racing Image
http://netwelding.com/Jake_Emblems.pdf



GS Splitter Protectors

Cone Washers Protect Splitter Bottom
http://netwelding.com/Splitter_Protectors.pdf



May Be Of Interest: Engineering a ProStreet Rod

*How Our '34 ProStreet Rod Was Designed and Built
8.2 Liter Engine, 4 Wheel Disk Brakes & Coilover*
<http://netwelding.com/Engineering%20Street%20Rod%203-08.pdf>

